

LED SHOE BOX AREA LIGHT



Mean Well Power Supply
100-277V, 347V -- 480V optional

Samsung Chips
certified with LM80,
up to 150 lm/w



 **Surge Protection**
Safe from common surges

IP65 Rated
Suitable for outdoor lighting




Multiple Adapters
A/B/C/D/E/F types for option

Professional Light Distribution
Type III, Type IV for
Regular Use: Type III


High Quality Housing
Adequate die-cast aluminum material
for reliable heat dissipation




Long Lifespan
of 10years




Reliability Test



Safety Protection
Circuit




No Mercury
No UV Light




Big Saving(87%)
on Electricity Costs

Features

- Samsung 3535 chips, reach up to 150lm/w
- Replace up to 1000W traditional lamps
- 100-347V MEANWELL power supply optional
- ETL DLC
- 5 years limited warranty
- Modular type, better for inventory
- 80W 100W 150W 200W 300W Optional
- Ip65 Rated
- 6 adaptors for option
- Typical Lighting Distribution: Type III, Type V









Advantages



Specifications

MODEL	POWER	LUMENS	REPLACES	ADAPTER	INPUT VOLTAGE	FREQUENCY	CCT	LIGHT DISTRIBUTION	ETL	DLC
JCPL-80W-A	80W	8800	250W	A/B/C/D/E/F	100-277VAC 347-480VAC Option	50-60Hz	3000-5700K	TYPE III	✓	✓
JCPL-100W-A	100W	11000	400W	A/B/C/D/E/F	100-277VAC 347-480VAC Option	50-60Hz	3000-5700K	TYPE III	✓	✓
JCPL-150W-A	150W	16500	500W	A/B/C/D/E/F	100-277VAC 347-480VAC Option	50-60Hz	3000-5700K	TYPE III	✓	✓
JCPL-200W-A	200W	22000	600W	A/B/C/D/E/F	100-277VAC 347-480VAC Option	50-60Hz	3000-5700K	TYPE III	✓	✓
JCPL-300W-A	300W	33000	1000W	A/B/C/D/E/F	100-277VAC 347-480VAC Option	50-60Hz	3000-5700K	TYPE III	✓	✓

Options for Adapters



Packing Details

	Case Qty	G.W .	Carton Size
JCPL-80W-A	1	8.65 kgs	540 X 380 X 240 mm 21.26" x 14.96" x 9.45"
JCPL-100W-A	1	8.65 kgs	540 X 380 X 240 mm 21.26" x 14.96" x 9.45"
JCPL-150W-A	1	9.97 kgs	595 X 380 X 120 mm 23.43" x 14.96" x 4.72"
JCPL-200W-A	1	10.66 kgs	680 X 380 X 120 mm 26.77" x 14.96" x 4.72"
JCPL-300W-A	1	12.66 kgs	785 X 380 X 120 mm 30.91" x 14.96" x 4.72"